



ISO 9001, 14001 & OHSAS 18001  
CERTIFIED COMPANY

# LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi  
& Laboratory Accredited by NABL

## TEST REPORT

REF.NO: LAWN/SCL-M/2018

Date: 25-6-2018

### AMBIENT AIR QUALITY DATA

Name of the Industry & Address : **M/s. SAGAR CEMENTS LIMITED (MINES)**  
(Pedaveedu works)  
(Formerly known as M/s. AMARESWARI CEMENTS LIMITED)  
Pedaveedu(V), Mattampally (M),  
Suryapet - (Dist).

Location	Near Drilling	Near Loading	LIMIT	PROTOCOL
1. Date of sampling	14-6-2018	14-6-2018	--	--
2. Total time of monitoring	24 hr	24 hr	--	--
3. Average flow rate (cum/min)	1.03	1.08	--	--
4. Particulate matter concentration ( $\mu\text{g}/\text{m}^3$ ) -PM <sub>10</sub>	80	75	<100	IS-5182 (Part-23)
5. Particulate matter concentration ( $\mu\text{g}/\text{m}^3$ ) -PM <sub>2.5</sub>	32	27	<60	NAAQMS/36/2012-13
6. Sulphur dioxide(SO <sub>2</sub> ) Concentration ( $\mu\text{g}/\text{m}^3$ )	12	14	<80	IS-5182 (Part-2)
7. Nitrogen dioxide(No <sub>2</sub> ) Concentration ( $\mu\text{g}/\text{m}^3$ )	26	23	<80	IS-5182 Part-6)
8. CO, Concentration (ppm)	<1	<1	<2	IS-5182 (Part-10)



*Signature*  
14/7/18

AUTHORISED SIGNATORY

1. RESPIRABLE DUST SAMPLER MODEL /SL.NO. RDS 9000 / 040506
2. RESPIRABLE DUST SAMPLER MODEL /SL.NO. RDS 9000 / 040507

Head Office : "LAWN HOUSE", #184-C, Vengalrao Nagar, Hyderabad - 500 038. (T.S.) INDIA. Tel : 040-66730925, 66730926, Fax : 040-66730926

Branch Office : H.No.31-56-2/1, Ground Floor, Siman Nagar, Kurmannapalem, Visakhapatnam - 530046 (A.P.) INDIA. Tel : +91-9030029925

E-mail : lawnenviro@yahoo.co.in, Website : www.lawnenviro.com