



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/SCL-M/2019

Date: 26-12-2019

AMBIENT AIR QUALITY DATA - CORE ZONE

Name of the Industry & Address : **M/s. SAGAR CEMENTS LIMITED, (MINE-1)**
Mattampally (Post & Mandal),
Suryapet - (Dist).

Location		Near Crusher	Near Dumping	LIMIT	PROTOCOL
1. Date of sampling	:	19-12-2019	19-12-2019	--	--
2. Total time of monitoring	:	24 hr	24 hr	--	--
3. Average flow rate (cum/min)	:	1.09	1.10	--	--
4. Particulate matter Concentration ($\mu\text{g}/\text{m}^3$) -PM ₁₀	:	81	73	<100	IS-5182 (Part-23)
5. Particulate matter Concentration ($\mu\text{g}/\text{m}^3$) -PM _{2.5}	:	33	28	<60	NAAQMS/ 36/2012-13
6. Sulphur dioxide (So ₂) Concentration ($\mu\text{g}/\text{m}^3$)	:	11	06	<80	IS-5182 (Part-2)
7. Nitrogen dioxide (No ₂) Concentration ($\mu\text{g}/\text{m}^3$)	:	24	20	<80	IS-5182 (Part-6)

[Handwritten Signature]



AUTHORISED SIGNATORY

1. RESPIRABLE DUST SAMPLER MODEL /SL.NO. RDS 9000 / 040132 CALIBRATED ON 04-01-2019, DUE ON 03-01-2020
2. RESPIRABLE DUST SAMPLER MODEL /SL.NO. RDS 9000 / 040139 CALIBRATED ON 04-01-2019, DUE ON 03-01-2020

1. FINE PARTICULATE SAMPLER /APM 550 (SL.NO. 755-DTH-2011), CALIBRATED ON 04-06-2019, DUE ON 03-06-2020
2. FINE PARTICULATE SAMPLER /APM 550 (SL.NO. 1351-DTF-2013), CALIBRATED ON 04-06-2019, DUE ON 03-06-2020

Head Office : "LAWN HOUSE", #184-C, Vengalrao Nagar, Hyderabad - 500 038. (T.S.) INDIA. Tel : 040-66730925, 66730926, Fax : 040-66730926

Branch Office : H.No.18/2, Ground Floor, Phase-I, Vuda Nagar, Rajiv Nagar Road, Kurmannapalem, Visakhapatnam - 530046. (A.P.) Tel : +91-9030029925

E-mail : lawnenviro@yahoo.co.in, Website : www.lawnenviro.com