



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/SCL-M/2020

Date: 26-9-2020

AMBIENT AIR QUALITY DATA - CORE ZONE

Name of the Industry & Address : **M/s. SAGAR CEMENTS LIMITED, (MINE-1)**
Mattampally (Post & Mandal),
Suryapet - (Dist).

Location	Near Crusher	Near Dumping	LIMIT	PROTOCOL
1. Date of sampling	15-9-2020	15-9-2020	--	--
2. Total time of monitoring	24 hr	24 hr	--	--
3. Average flow rate (cum/min)	1.16	1.14	--	--
4. Particulate matter Concentration ($\mu\text{g}/\text{m}^3$) -PM ₁₀	73	71	<100	IS-5182 (Part-23)
5. Particulate matter Concentration ($\mu\text{g}/\text{m}^3$) -PM _{2.5}	26	24	<60	NAAQMS/ 36/2012-13
6. Sulphur dioxide (SO ₂) Concentration ($\mu\text{g}/\text{m}^3$)	10	08	<80	IS-5182 (Part-2)
7. Nitrogen dioxide (NO ₂) Concentration ($\mu\text{g}/\text{m}^3$)	23	16	<80	IS-5182 (Part-6)




AUTHORISED SIGNATORY

1. RESPIRABLE DUST SAMPLER MODEL /SL.NO. RDS 9000 / 040132 CALIBRATED ON 03-01-2020, DUE ON 02-01-2021
2. RESPIRABLE DUST SAMPLER MODEL /SL.NO. RDS 9000 / 040139 CALIBRATED ON 03-01-2020, DUE ON 02-01-2021
1. FINE PARTICULATE SAMPLER /APM 550 (SL.NO. 755-DTH-2011) , CALIBRATED ON 03-06-2020, DUE ON 02-06-2021
2. FINE PARTICULATE SAMPLER /APM 550 (SL.NO. 1351-DTF-2013), CALIBRATED ON 03-06-2020, DUE ON 02-06-2021

Head Office : "LAWN HOUSE", #184-C, Vengalrao Nagar, Hyderabad - 500 038. (T.S.) INDIA. Tel : 040-66730925, 66730926, Fax : 040-66730926

Branch Office : H.No.18/2, Ground Floor, Phase-I, Vuda Nagar, Rajiv Nagar Road, Kurmannapalem, Visakhapatnam - 530046. (A.P) Tel : +91-9030029925

E-mail : lawnenviro@yahoo.co.in, Website : www.lawnenviro.com