



SAGAR CEMENTS (M) PRIVATE LIMITED

(A Subsidiary of SAGAR CEMENTS LIMITED)

SCMPL/Karondiya/ Evt. /BMW/ 2023

Date - 20.06.2024

To

The Regional Officer

M.P.Pollution Control Board, Vikas Bhawan,
Sector-2 Pithampur,
Dist-Dhar, Madhya Pradesh

Sub: - Submission of FORM-IV Annual Return for Biomedical Waste FY 2023

Dear Sir,

As per above subject, we are herewith submitting annual return in FORM-IV for Biomedical waste Management for the year of 2023 under Bio-Medical Waste Management Rules, 2016 as per authorization **B-120081 dated 14.03.2024.**

Thanking You.

Your's faithfully

Niraj Kumar Shrivastava

(Vice President - Works)

Authorized Signatory

For Sagar Cements (M) Private Limited

CC-

The Member Secretary
M. P. Pollution Control Board,
E-5, Area Colony, Paryavaran Parisar,
Bhopal- 462016, MP

-- For your kind information pl.

Registered office : 602, Airen Heights PU-3, Scheme No. 54, Opp. C-21 Mall, A.B. Road, INDORE 452001 (M.P.) Phone : 0731-3500971-972

Corporate office : Plot No. 111, Road No. 10, Jubilee Hills, Hyderabad- 500 033. Telangana, INDIA Ph.: +91-40-23351571, 23356572

Fax : +91-40-23356573 Email: info@satgurucement.in CIN: U26942MP2001PTC014599 GSTIN:23AAHCS7069P1ZN

Factory : Karondiya (Vill.) Post-Jeerabad-454446 Teh. Gandhwani, Dist.-Dhar Madhya Pradesh

Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF)

PCB ID : 159952

Health Care Facility / CBWTF Name : Sagar Cements (M) Private Limited (Ohc)

1	Year	2023 <input type="button" value="v"/>
2	Type of Health Care Facility	Clinic / Dispensary <input type="button" value="v"/>
3	Number of Beds	<input type="text" value="0"/>
4	License Number and Date of Expiry of License	<input type="text" value="B-120081"/> <input type="text" value="19/02/20"/>
5	Do you have Captive Treatment Facility ?	<input type="radio"/> Yes <input checked="" type="radio"/> No
Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis)		
6	Yellow Category	<input type="text" value="0.22"/> Kg/Month
7	Red Category	<input type="text" value="0.1"/> Kg/Month
8	White Category	<input type="text" value="0"/> Kg/Month
9	Blue Category	<input type="text" value="0.05"/> Kg/Month
10	General Solid Waste	<input type="text" value="0.5"/> Kg/Month
Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
11	Details of the on-site storage facility	Separate Category wise bins are provided for the storage of BMW for <input type="button" value="v"/>
12	Treatment Facility	<input type="text" value="AUC,NEE,OTH"/>
13	Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment (in kg / Year)	<input type="text" value="0"/>
14	Number of Vehicles used for Collection and Transportation of Biomedical Waste	<input type="text" value="0"/>
15	Details of Incineration Ash and ETP Sludge generated and disposed during the Treatment of waste (in Kg / Year)	<input type="text" value="0"/>

16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Hoswin Incinerator Pvt. Ltd
17	Do you have bio-medical waste management committee ? If yes, minutes of the meetings held during the reporting period	<input type="radio"/> Yes <input checked="" type="radio"/> No
Details of Trainings conducted on Bio Medical Waste Management		
18	Number of Trainings conducted on BMW Management	1
19	Number of Personnel Trained	2
20	Number of Personnel Trained at the time of Induction	
21	Number of Personnel not undergone any Training so far	0
22	Whether standard manual for Training is available ?	<input type="radio"/> Yes <input checked="" type="radio"/> No
23	Any other information	NA
Details of the accident occurred during the year		
24	Number of Accident occurred	0
25	Number of the persons affected	0
26	Remedial Action taken (details if any)	NA
27	Any Fatality Occurred , details	Nil
28	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?	<input type="radio"/> Yes <input checked="" type="radio"/> No Disposal through Ho
29	Details of Continuous Online Emission Monitoring systems installed	NA
30	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	NA
31	Is the disinfection method or sterilization meeting the log 4	<input type="radio"/> Yes <input checked="" type="radio"/> No N.A.

	standards ? How many times you have not met the standards in a year ?	
32	Any other relevant information	NA
Update		

Phul