



SAGAR CEMENTS LIMITED

Ref: SCRL/IMS/ENV/05/F00

23.01.2024

To
The Environmental Engineer,
AP Pollution Control Board,
Regional Office,
Ananthapuramu.

Dear Sir

Sub: Submission of Biomedical waste Annual report in FORM IV for the year 2023 - reg


Ref: Order No: ATP/24/APPCB/RO/ATP/BMWM/2019-543 dated 16.09.2019 & amendment order dated 12.04.2023.


We are submitting herewith the annual report under the Bio medical waste Management rules, 2016 for Occupational Health Centre of M/s Sagar Cements Limited located at Gudipadu (V), Yadiki (M), Ananthapuramu (Dist) for the year January 2023 to December 2023.

This is for your kind information.

Thanking you

Yours faithfully,
For Sagar Cements (R) Limited,


E. P. Ranga Reddy
(Vice President - Works)



Registered Office : Plot No. 111, Road No.10, Jubilee Hills, Hyderabad - 500033, Telangana, India.

Phone : +91-40-23351571, 23356572 Fax : +91-40-23356573 E-mail : info@sagarcements.in Website : www.sagarcements.in

CIN : L26942TG1981PLC002887 GSTIN : 36AACCS8680H2ZY

Factories : Mattampally, Via Huzurnagar, Suryapet-District, Telangana - 508204. Phone : 08683 - 247039 GSTIN : 36AACCS8680H1ZZ

Bayyavaram Village, Kasimkota Mandal, Visakhapatnam District, Andhra Pradesh - 531031. Phone : 08924-244550 Fax : 08924-244570 GSTIN : 37AACCS8680H1ZX

Gudipadu Village and Post, Yadiki Mandal, Ananthapur District, Andhra Pradesh - 515408. Phone: 08558-200272 GSTIN : 37AACCS8680H1ZX



SAGAR CEMENTS LIMITED

Ref: SCRL/IMS/ENV/05/F00

23.01.2024

To
The Environmental Engineer,
AP Pollution Control Board,
Regional Office,
Ananthapuramu.

Dear Sir

Sub: Submission of Biomedical waste Annual report in FORM IV for the year 2023 - reg

Ref: Order No: ATP/24/APPCB/RO/ATP/BMWMM/2019-543 dated 16.09.2019 &
amendment order dated 12.04.2023.

We are submitting herewith the annual report under the Bio medical waste Management rules, 2016 for Occupational Health Centre of M/s Sagar Cements Limited located at Gudipadu (V), Yadiki (M), Ananthapuramu (Dist) for the year January 2023 to December 2023.

This is for your kind information.

Thanking you

Yours faithfully,
For Sagar Cements (R) Limited,

E. P. Ranga Reddy
(Vice President - Works)



Registered Office : Plot No. 111, Road No.10, Jubilee Hills, Hyderabad - 500033, Telangana, India.

Phone : +91-40-23351571, 23356572 Fax : +91-40-23356573 E-mail : info@sagarcements.in Website : www.sagarcements.in

CIN : L26942TG1981PLC002887 GSTIN : 36AACCS8680H2ZY

Factories : Mattampally, Via Huzurnagar, Suryapet-District, Telangana - 508204. Phone : 08683 - 247039 GSTIN : 36AACCS8680H1ZZ

Bayyavaram Village, Kasimkota Mandal, Visakhapatnam District, Andhra Pradesh - 531031. Phone : 08924-244550 Fax : 08924-244570 GSTIN : 37AACCS8680H1ZX

Gudipadu Village and Post, Yadiki Mandal, Ananthapur District, Andhra Pradesh - 515408. Phone: 08558-200272 GSTIN : 37AACCS8680H1ZX

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]


S.NO	Particulars			
1.	Particulars of the Occupier	:		
	(i) Name of the authorised person (occupier or operator of facility)	:	E.P. Ranga Reddy VP (Works)	
	(ii) Name of HCF or CBMWTF	:	M/s Sagar Cements (R) Ltd, Occupational Health Centre	
	(iii) Address for Correspondence	:	Sagar Cements (R) Limited, Gudipadu (Village & Post) Yadiki (Mandal), Anantapur (District), Andhra Pradesh (State), Pin code-515408.	
	(iv) Address of Facility	:	M/s. Sriven Environ Technologies, Sy.NO.277-1A, Dumpetla (Village), Dharmavaram (Mandal), Anantapur (District)	
	(v) Tel. No, Fax. No	:	+91 9912229211	
	(vi) E-mail ID	:	rangaep@sagarcements.in	
	(vii) URL of Website	:	www.sagarcements-r.in	
	(viii) GPS coordinates of HCF or CBMWTF	:	15 ⁰ 03'59.97"N 77 ⁰ 58'54.67"E	
	(ix) Ownership of HCF or CBMWTF	:	Sagar Cements (R) Ltd, OHC	
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Order No: ATP/24/APPCB/RO/ATP/BMWMM/2019-543 dated 16.09.2019 & amendment order dated 12.04.2023. BMW authorization valid up to 31.08.2025	
(xi). Status of Consents under Water Act and Air Act	:	Cement Plant: APPCB/KNL/ATP/17731/HO/CFO/2020 dated 14.12.2020, & expansion order dated 02.01.2023 Captive Power Plant: APPCB/KNL/KNL/17731/CFO&HWM/HO/2021 dated 29.04.2021 and amendment order dated 15.07.2021. Mines: Order no.1307195/APPCB/KNL/ATP/CTO/HO/2022 dated 30.11.22		
2.	Type of Health Care Facility	:	Occupational health Centre	
	(i) Bedded Hospital	:	No. of Beds:02	
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any Other)	:	Not Applicable	
	(iii) License number and its date of expiry	:	Not Applicable	
3.	Details of CBMWTF	:		
	(i) Number healthcare facilities covered by CBMWTF	:	Not Applicable	
	(ii) No of beds covered by CBMWTF	:	Not Applicable	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	Not Applicable	
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	Not Applicable	
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category	3.492 kg/annum
		:	Red Category	15.688 kg/annum
		:	White Category	-
		:	Blue Category	5.106 kg/annum
		:	General Solid Waste	Nil

5.	Details of the Storage, treatment, transportation, and Disposal Facility					
	(i) Details of the on-site storage facility	:	Size	Not Applicable		
		:	Capacity	Not Applicable		
	Provision Of on-site storage Cold Storage /any other Provision: Stored in Storage bins.					
	Disposal Facilities	:	Type of treatment equipment	No. Of Units	Capacity Kg/Day	Quantity Treated or Disposed in Kg/Annum
			Incinerators	Nil	NA	NA
			Plasma Pyrolysis	Nil	NA	NA
			Micro Wave	Nil	NA	NA
			Hydro Clave	Nil	NA	NA
			Shredder	Nil	NA	NA
		Needle Tip Cutter/ Destroyer	1	-	-	
		Sharps	Nil	NA	NA	
		Encapsulation /Concrete pit	Nil	NA	NA	
		Deep Burial	Nil	NA	NA	
		Chemical Disinfection	Nil	NA	NA	
		Any other Treatment Equipment	Nil	NA	NA	
(iii)Quantity of recyclable wastes sold to authorised recyclers after treatment in Kg per Annum	:	Nil, as biomedical wastes are disposed to Common waste treatment facility operator				
(iv)No of vehicles used for collection and transportation of biomedical waste	:	Nil, as biomedical wastes are collected and transported by a Common waste treatment facility operator				
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:		Quantity Generated	Where Disposed		
		Incineration Ash	NA	NA		
		ETP Sludge	NA	NA		
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s.Sriven Environ Technologies, Sy.NO.277-1A,Dumpetla (Village), Dharmavaram (Mandal),Anantapur (District)				
(vii)List of member HCF not handed over Bio-Medical waste	:	Not Applicable				
6.	Do you have Bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	Not applicable			

7.	Details trainings conducted on BMW		
	(i)Number of trainings conducted on BMW Management	:	1
	(ii)Number of personnel trained	:	4
	(iii) Number of personnel trained at the time of induction	:	-
	(iv)Number of personnel not undergone any trainings so far	:	Nil
	(v)Whether Standard manual for training is available?	:	No
	(vi) Any other information	:	Nil
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred	:	Nil
	(ii) Number of the persons affected	:	Nil
	(iii) Remedial Action taken (Please attach details if any)	:	Nil
	(iv) Any Fatality occurred, details.	:	Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	Not Applicable, As Biomedical wastes are disposed to Common waste treatment facility operator
	Details of Continuous online emission monitoring systems installed	:	Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	Not Applicable
11.	Is the disinfection method or sterilization meeting the log 4 Standards? How many times you have not met the standards in a year?	:	Not Applicable
12.	Any other relevant information	:	Not Applicable

Certified that the above report is for the period from January-2023 to December 2023 are true to the best of my Knowledge.

Date:-23-01-2024
Place: Gudiapdu


E.P. Ranga Reddy,
Vice President-(Works)
Sagar Cements Limited

Sagar Cements Limited, Gudipadu Unit

Month wise waste generation from Occupational Health Centre

Month & Year	Yellow Category (Weight in Kg/Month)	Red Category (Weight in Kg/Month)	Blue Category (Weight in Kg/Month)
Jan'2023	0.43	0.612	0.369
Feb'2023	0.267	1.194	0.444
Mar'2023	0.185	2.01	0.474
April'2023	0.17	1.538	0.363
May'2023	0.25	1.698	0.459
June'2023	0.41	0.717	0.285
July'2023	0.37	0.66	0.297
Aug'2023	0.515	1.134	0.447
Sep'2023	0.18	2.01	0.474
Oct'2023	0.305	1.725	0.63
Nov'2023	0.245	1.031	0.465
Dec'2023	0.165	1.359	0.399
Total	3.492	15.688	5.106